

**Kubota Australia Pty Ltd**  
25-29 Permas Way, Truganina VIC, 3029 Australia  
Freecall: 1800-334-653  
Email: sales@kubota.com.au  
  
Web Site: <http://www.kubota.com.au>

**Kubota New Zealand Limited**  
433 Rangitikei Street, Cloverlea, Palmerston North, 4412 New Zealand  
Freecall: 0800-582-682  
Email: sales@kubota.com.au  
  
Web Site: <http://www.kubota.co.nz>

RTV

KUBOTA 4WD PETROL UTILITY VEHICLE  
**RTV-XG850**  
**SIDEKICK**

For Earth, For Life  
Kubota

©2022 Kubota Corporation

| Specifications                            |                            |                    | RTV-XG850                                      |                                        |
|-------------------------------------------|----------------------------|--------------------|------------------------------------------------|----------------------------------------|
| Model name                                |                            |                    |                                                |                                        |
| Type                                      |                            |                    | Worksite                                       | Special                                |
| Body color                                |                            |                    | Orange, Desert Sand, and Stone Gray            | Black                                  |
| Engine                                    | Type                       |                    | 2-cylinders, 4-cycle, Petrol, DOHC             |                                        |
|                                           | Displacement               | cc                 | 851                                            |                                        |
|                                           | Horsepower                 | HP (kW) /rpm       | 54.0 (40.3) / 6,000                            |                                        |
|                                           | Torque                     | N-m (ft.-lb.) /rpm | 66.0 (48.7) / 5,400                            |                                        |
|                                           | Cooling system             |                    | Liquid                                         |                                        |
| Transmission                              |                            |                    | CVT PLUS (CVT with centrifugal clutch)         |                                        |
| Gear selection                            |                            |                    | Hi-Lo range forward, neutral, reverse          |                                        |
| Max. Traveling speed                      |                            |                    | 0-64.4                                         |                                        |
| 4WD system                                | Front differential         |                    | Limited-slip differential                      |                                        |
|                                           | Rear differential          |                    | Foot operated differential lock                |                                        |
| Steering                                  |                            |                    | Speed sensitive Electric Power Steering        |                                        |
| Brakes                                    | Front / Rear               |                    | 4-wheel hydraulic disc brake                   |                                        |
|                                           | Parking brake              |                    | Rear wheel, hand operated                      |                                        |
| Suspension                                | Front suspension           |                    | Independent : Dual A-arms with coil over shock |                                        |
|                                           | Front suspension travel    | mm                 | 229                                            |                                        |
|                                           | Rear suspension            |                    | Independent with coil over shock               |                                        |
|                                           | Rear suspension travel     | mm                 | 216                                            |                                        |
| Ground clearance                          | Front                      | mm                 | 248                                            |                                        |
|                                           | Rear                       | mm                 | 238                                            |                                        |
| Headlights                                |                            |                    | LED (High-Low) with 2 reflectors               |                                        |
| Occupant Protective System (OPS)          | Tubular overhead structure | in. (mm)           | 2.0 (50.8)                                     |                                        |
|                                           | Seat belts                 |                    | 3-point                                        |                                        |
| Seating                                   | Certification              |                    | SAE J2194 and OSHA ROPS standards              |                                        |
|                                           |                            |                    | 2                                              |                                        |
| Dimensions                                | Length                     | mm                 | 3,093 *include bumper                          |                                        |
|                                           | Width                      | mm                 | 1,605                                          |                                        |
|                                           | Height, overall            | mm                 | 2,020 *include ROPS                            |                                        |
|                                           | Front tread centers        | mm                 | 1,320                                          |                                        |
|                                           | Rear tread centers         | mm                 | 1,320                                          |                                        |
|                                           | Wheelbase                  | mm                 | 2,045                                          |                                        |
|                                           | Turning radius             | m                  | 4.0                                            |                                        |
| Weight                                    |                            |                    | 799 *dry                                       |                                        |
| Towing capacity                           |                            |                    | Flat : 907.2 / Slope : 703                     |                                        |
| Cargo bed                                 | Payload capacity           | kg                 | 651                                            |                                        |
|                                           | Material                   |                    | Steel                                          |                                        |
|                                           | Width x Length x Depth     | mm                 | 1,030 x 1,465 x 290                            |                                        |
|                                           | Volume                     | m³                 | 0.43                                           |                                        |
|                                           | Cargo bed load             | kg                 | 454                                            |                                        |
|                                           | Dumping system             |                    | Manual                                         |                                        |
| Fuel tank capacity                        |                            |                    | Optional electric hydraulic power lift         |                                        |
| Sound rating at operator's ear at max rpm |                            |                    | 32.7                                           |                                        |
| Tires                                     |                            |                    | 89.8                                           |                                        |
| Front guard                               |                            |                    | Standard 25 x 10-12, 6-ply                     |                                        |
| Alloy wheel                               |                            |                    | Optional 25 x 10-12, 6-ply                     |                                        |
| Steering tilt                             |                            |                    | Standard front guard                           |                                        |
| Spray-on bed liner                        |                            |                    | Optional: Orange and Desert Sand               | Standard: Grey and Black               |
|                                           |                            |                    | Not available: Orange                          | Standard: Desert Sand, Grey, and Black |



The company reserves the right to change the above specifications without notice. The values in "Ground clearance" and "Weight" are those of the machine equipped with the tires in the table above. For off-highway use only.

The company reserves the right to change the stated specifications without notice. This brochure is for descriptive purposes only and reasonable efforts were used to set forth the contained information; some items shown may be optional and some products shown may not be available at all dealerships. Kubota disclaims all representations and warranties, express or implied, or any liability from the use of this brochure. For complete warranty, safety and product information, consult your local Kubota dealer and the operator's manual. Power (HP/KW) and other specifications are based on various standards or recommended practices. For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications. This brochure is intended for Commonwealth of Australia and New Zealand only. For information regarding Kubota products or services outside these areas, see Kubota Corporation's global web site. Kubota does not provide parts, warranty or service for any Product which is re-sold or retailed in any country other than the country for which the Product(s) were designed or manufactured. For display purposes, the previous model's photographs may be used on this brochure.

**Kubota**  
**Genuine Parts**  
for maximum performance, durability and safety





# DURABILITY MEETS SPEED

The RTV-XG850 Sidekick is the ultimate vehicle for those who refuse to compromise. The perfect blend of utility performance and versatility, where durability meets speed. You can trust it will help get the job done. The new Sidekick sees Stone Gray and Desert Sand models, and new graphic packages added to the lineup. For the first time, a Kubota petrol engine powers the Sidekick. Every machine comes standard with our 2-year or 1,000 hour warranty\*. Because trust is earned, not given.



\* For complete warranty, safety and product information, consult your local Kubota dealer and the operator's manual.



# READY FOR EVERYTHING

**SIDEKICK**

**POWER THROUGH IT**

**DO IT WITH PURPOSE**

**ELEVATE YOUR EXPERIENCE**

**YOUR RELIABLE ADVANTAGE**





# POWER THROUGH IT



When the great outdoors calls, jump in your Sidekick and hit the gas. The Sidekick's powerful 54 HP petrol engine gives you the speed to get there fast. Up to 64 km/h fast. And with impressive acceleration and torque, you'll take on every big hill and distant destination with absolute confidence. It's the sort of confidence you get with an advanced all-new Kubota twin cylinder engine.

## NEW KUBOTA ENGINE



### Torque increase

The new Kubota engine boasts 48 lb.-ft. of torque, about 6% increase from the previous engine. Now, even under load, you can rely on the Sidekick to quickly get you to where you need to be.



### Horsepower increase

The horsepower increased by about 12% over the previous engine, at 54 HP. Combine that with a top-speed of 64 km/h and you get a utility-vehicle designed to maximize work and life.



### Hill climb

Between the horsepower and torque increase, you can expect better hill climb performance when compared with prior model year Sidekicks. The difference is most noticeable in working conditions, like hauling material or towing a trailer. Now more than ever, you can be assured you have the performance to power through it.



# DO IT WITH PURPOSE

The Sidekick is a machine built to maximize work and life. A crossover utility-vehicle with an emphasis on utility, the machine is designed to get the toughest tasks done, quickly. The Sidekick lives up to its namesake, so no matter what you do, you can do it with purpose.



## Neutral stance with load

When the Sidekick is under a full cargo load, the machine sits relatively neutral. This stance helps the driver control the machine with solid maneuverability - making quick work of even the toughest tasks.



## Operating speed with load

Sidekick is designed to perform consistently even with a full load of cargo. Meaning you can leverage all of the Sidekick's performance, with or without a full-capacity load in the cargo box.



## Suspension

The front and rear independent suspension help support a smooth and comfortable ride. It provides stability in working applications, and confidence to traverse a variety of terrain when enjoying your favorite outdoor activity.



## Low-speed control

The new Kubota engine, paired with updated throttle mapping and accelerator pedal linkage provide greater control of the machine, especially at low-speeds. When precision is critical, the Sidekick provides the control necessary to ensure smooth operation of the machine.







**CARGO SPACE**



**ALL DAY COMFORT**



# ELEVATE YOUR EXPERIENCE

Sidekick is a highly versatile machine, built to get the job done and elevate your experience. The Sidekick is designed to reduce noise and vibration, when compared to prior model year vehicles. Pair this with the redesigned throttle linkage and you get a ride built for all-day comfort. Additionally, plenty of cargo space and optional cargo box accessories ensure you can bring whatever you need for the job or to enjoy a full day of exploration - enhanced by the Sidekick's ability to handle terrain.



**HANDLE TERRAIN**



**NOISE & VIBRATION REDUCTION**



# YOUR RELIABLE ADVANTAGE

Wherever you go, the Sidekick will make the journey comfortable and convenient. From the new ergonomic meter panel steering wheel and shift knob, to the bright LED headlights and a ton of convenience utility features, the Sidekick has everything you need to enjoy the trip.



## Digital cluster

The smart new meter panel alerts you to all major vehicle functions with seatbelt and parking brake alarms and overheating and intermediate gear control indicators. The modern white LCD display provides excellent visibility at all times, even under difficult lighting conditions.



## Steel cargo box

Sidekick is equipped with an unique and well-established steel cargo box. The protection of this highly durable cargo box can be enhanced even more with the addition of an spray bed liner. In addition, a wide range of cargo box options are also available to support your various type of work and maximize your overall comfort.



## LED headlights

Let your Sidekick lead the way with cutting-edge LED headlights that offer improved brightness and visibility—and last longer, too! For even greater brightness, a 4-headlight option is available.



## Half doors and shoulder guards

Half doors on both sides help keep out dirt, brush and other unwanted elements. Also new redesigned side bars make it easier to get in and out. Shoulder guards on the ROPS help keep occupants secure during vehicle operation.



## Flat bench seat

The flat bench seat is ergonomically designed to provide hours of working comfort. Providing the appropriate space for both driver and passenger—now that's smart.



## Under-seat storage compartments

Large compartments under the bench seats are ideal for storing tools, tie-downs and personal items.



## Glove box

A large glove box on the passenger side provides quick and convenient access to personal items and frequently used gear. For safety and security, the glove box is equipped with a cover and a key.



## Cup holder

A convenient cup holder keeps your beverage tumbler or travel mug secure and always within reach.

## DC outlet

Charge your phone or other electronic device on the go with a convenient DC outlet.



# OPTIONAL CABIN AND ACCESSORIES

Build your own custom Sidekick! These optional cabins and accessories will make your RTV experience more comfortable, personal, and memorable. To view the complete RTV Accessories Range visit: [catalogue.kubota.com.au/rtv-range/](http://catalogue.kubota.com.au/rtv-range/)



FOR ADDED TOUGHNESS



Plastic bumper



Bush guard



Under guard



Rear bumper



Tail lamp guard



A-arm guard (Front / Rear)

FOR IMPROVED WORKABILITY



Front work light



Electric hydraulic bed lift kit (left: dump switch / right: lift cylinder)



LED Headlight



Headrest kit



Mud guard (Front / Rear)

FOR MORE COMFORT AND CONVENIENCE